FIT360®
CLEANING INSTRUCTIONS


Keep these instructions for future use.
If you have any questions regarding these cleaning instructions, STOP and call Chicco at 1-877-424-4226.

⚠ WARNINGS

READ ALL INSTRUCTIONS BEFORE USE - Failure to follow these warnings and instructions could result in injury or death to your child.

ALWAYS make sure the seat and base are completely dry before use.

CLEANING PREPARATION



CLEANING SUPPLIES FOR SURFACE CLEANING

- Vacuum with hose attachments
- Cleaning cloths or soft sponges
- Small bucket with warm water
- Mild dish soap
- Towels
- Portable fan (optional)
- Compressed air (optional)

CLEANING SUPPLIES FOR DEEP CLEANING


- Soft bristle brush
- Hose or detachable shower head
- Bathtub
- Wet/dry vacuum (optional)

Uninstall your Fit360 car seat from your vehicle and remove the **seat** from the **base**. Refer to the User Guide.

Collect the recommended cleaning supplies.


SURFACE CLEANING FOR BASE

Remove the User Guide before cleaning




1. Use a vacuum and compressed air (optional) to remove as much debris as possible from the **base**.

Tip: Make sure to clean around all moving parts and gaps within the edge of the circle of the base.




2. Use a cleaning cloth or soft sponge to wipe down the center of the **base** with warm soapy water.

SURFACE CLEANING FOR BASE (cont.)



3. Wipe around the 3 locking slots and underneath the **recline adjustment handle** with warm soapy water.



4. Use fresh water and a new WET cleaning cloth or sponge to wipe the remaining soap from the **base**.





5. Use a DRY cleaning cloth to wipe down all of the surfaces of the **base**. Place the **base** in a dry location to finish air drying for a minimum of 8 hours before use.

Tip: A fan or compressed air can also be used to help speed drying time.


DEEP CLEANING FOR BASE

First, follow Steps 1-3 under Surface Cleaning the Base



1. Using a detachable shower head or hose, spray down the center of the **base**. Thoroughly rinse any remaining soap from the **base**.


Tip: A soft bristle brush can be used to help remove any sticky or dried-on residue.




2. Turn the **base** upside down to drain. Dry overnight.

Tip: A fan or compressed air is recommended to completely dry the base.


SURFACE CLEANING FOR SEAT




1. Use a vacuum and compressed air (optional) to remove as much debris as possible from the **seat**.



2. Follow the instructions in your Fit360 User Guide to remove and clean the seat cover.




3. Use a vacuum and compressed air (optional) to remove as much debris as possible from the **seat**.




4. Use a cleaning cloth or soft sponge to wipe down the center of the **seat** with warm soapy water.

Tip: A soft bristle brush can be used to help remove any sticky or dried-on residue.




5. Use a cleaning cloth or soft sponge to wipe down the bottom ring of the **seat** with warm soapy water while pushing in on the 3 locking tabs.



6. Use fresh water and a new WET cleaning cloth or sponge to wipe the remaining soap from the bottom ring and center of the **seat**.

SURFACE CLEANING FOR SEAT (cont.)




7. Use a DRY cleaning cloth to wipe down the center and bottom ring of the **seat**. Place the **seat** in a dry location to air dry for a minimum of 8 hours before use.


Tip: A fan or compressed air can also be used to help speed drying time.

DEEP CLEANING FOR SEAT

First, follow Steps 1-6 under Surface Cleaning the Seat



1. Fill a bathtub with just enough warm soapy water to cover the bottom ring of the **seat**. Place the **seat** in the bathtub and squeeze both **seat release handles** while sliding the seat through the water. Then wipe down the center of the **seat** with warm soapy water.




2. Drain the bathtub and fill with fresh warm water. Squeeze both **seat release handles** while sliding the seat through the water. Then wipe down the center of the **seat** with warm water.

DEEP CLEANING FOR SEAT (cont.)




3. Pick up the **seat** and tilt left and right a few times over the bathtub to drain.



4. Turn the **seat** upside down and place in a dry location to air dry overnight.

Tip: A fan or compressed air can also be used to help speed drying time.

FUNCTION CHECK



1. Pull the **recline adjustment handle** and push on the locking tabs and slots to make sure the moving parts on the **base** and **seat** are working properly.

2. Follow the instructions in your Fit360 User Guide to reattach the seat cover to the **seat** before installing in your vehicle.