

CORSO INFANT SEAT INSERT

KEEP THESE INSTRUCTIONS FOR FUTURE USE

Owner's Manual

SS0049E 02 ChiccoUSA.com


A WARNINGS


READ ALL INSTRUCTIONS BEFORE USE - Failure to follow these warnings and instructions could result in injury or death to your child. Keep these instructions for future use.

- Stroller Seat MUST be fully reclined when using for infants 0-4 months.
- All components MUST be used together for infants 0-4 months.
- DO NOT use Headrest without the Seat Insert.




0-4 MONTH - STEP 1







0-4 MONTH - STEP 2



2a. Place the Newborn Wedge on the seat with the hook and loop fastener facing out, as shown. Thread the waist straps through the slots on the Newborn Wedge.

2b. Place the Seat Insert on top of the Newborn Wedge making sure to secure the hook and loop fastener together.







2c. Thread the crotch strap through the bottom of the Seat Insert.

0-4 MONTH - STEP 3

Important: The shoulder straps should be just at or above your child's shoulders and the Headrest should be positioned one height position above the Should Strap position.





3a. Thread the waist straps though the bottom two vertical openings. Then thread the shoulder straps through one set of the height openings on the Seat Insert.



3b. Thread the attachment straps on the Headrest through the openings just above the shoulder straps. Secure the hook and loop fastener on the back.


0-4 MONTH - STEP 4






4. Slide both Newborn Shoulder Pads onto the shoulder straps.

4+ MONTHS - STEP 1




1a. To continue using the Headrest and Seat Insert after 4 months of age, remove both of the Newborn Shoulder Pads.




1b. Thread the Shoulder Straps back through the openings in the Seat Insert.

4+ MONTHS - STEP 2

2a. Pull down on the Seat Insert and remove the Newborn Wedge.




Important: The Headrest can be used until the shoulder straps are placed in the highest position (5) on the Seat Insert.




2b. Thread the Shoulder Straps back though the Seat Insert, adjusting the position, if needed.

4+ MONTHS - STEP 3



3. Thread the attachment straps on the Headrest through the openings just above the shoulder straps. Secure the hook and loop fastener on the back.

4+ MONTHS - STEP 4



4. Slide both Toddler Shoulder Pads onto the shoulder straps.

CLEANING

Spot clean with mild soap and water, or machine wash in cold water on delicate cycle using mild detergent.

Attach hook and loop parts together before washing.

Hang to dry. DO NOT BLEACH.

If product is broken or damaged stop use and contact Chicco Customer Service at 1-877-424-4226. [Kee-Ko] If you say it right it makes you smile

